

QUOTATION: WI/23-24/0427

DATE 31/10/2023

**TO
THE PRINCIPAL**

Ref.: Quotation for one Seminar Hall as discussed.

S.NO.	ITEMS	PRODUCT	QTY	RATE	TOTAL
1	<p>LED IFP PANEL 58 INCH WITH SCREEN RECORDER SOFTWARE</p> 	<p>Display Panel Size: 58" Panel Type: TFT LCD Module with DLED Backlight Display Area (mm): 1650.24(H) x 928.26(V) Aspect Ratio: 16:9 Resolution: 3840x2160 (Pixels) Colors 1.07B Colors: (8 Bit+FRC) Brightness: 350nits Contrast Ratio: 4000:1 Response Time: 6.5ms Viewing Angle: H=178, V=178 typ. Backlight Life: 30000 Hours (Typ) Surface Treatment: Anti-Glare, Haze 25%, Hard Coating (9H) Orientation: Landscape</p> <p>Platform Processor: ARM quad-core Cortex-A35 RAM: 4GB DDR4 Storage: 32GB</p> <p>Touch Type/Tech: Ultra-Fine Touch Touch Point: 20 points touch, 2 points writing</p> <p>Input HDMI: x1 (3840x2160 @ 60Hz) VGA: x1 Audio: x1 (PC audio in) RS232: x1 OPS x1 (Optional Intel Standard OPS) Wi-Fi: x1 (Optional V8-WIFI-004)</p> <p>Output Audio x1 (Earphone out)</p> <p>USB Type A: USB2.0 Front x2, Side x2 Type B: x1 for HDMI/VGA touch Speaker: 10Wx2 Embedded OS: Android 9</p> <p>Bundle Software Basic Annotation Software: White Board software for android/Window/web /ios Pro Annotation Software: White Board for Windows Wireless Presentation: Yes</p> <p>Power Voltage: 162-264V +/- 10% Consumption (On): 230W (typ) / Off: <0.5W</p>	1 set	350000	350000

		<p>Ergonomics Wall Mount Vesa</p> <p>Operating Conditions Temperature: 0-40 degree C Humidity: 10%-90% RH Non-condensing</p> <p>Dimension (WXHXD) Physical (inch): 67.3 (w) x 40.2 (H) x 3.4 (D) Packaging (inch): 73 (W) x 44.9 (H) x 11 (D)</p> <p>Weight (kg) Net 51.8kg Gross: 65.7kg</p> <p>Regulations: BIS, CE, BIS Package Contents: 1. Power cord / 2.Remote control with AAA battery / 3.USB touch cable / 4. Touch pen x 2 / 5. Quick Start Guide + Compliance statement / 6. RS232 adapter / 7. Screw x 4 (wall mount 4) / 8. HDMI cable Warranty: 3 years OPS: i5, 8 GB, 512GB</p>			
2	DIGITAL PODIUM	<p>Type of Chassis/ Frame: Metallic, Mount Type: Floor Mounted, Material of Chassis: Polymer Coated CRCA Steel Sheet, Thickness of Enclosure (mm): 1.8 mm(Min) CRCA Sheet, Screen Resolution (Pixels): 640x480, Aspect Ratio: 4:3</p> <p>Type of Electronic Lectern: Processor Based</p> <p>On site OEM Warranty in years: 1</p> <p>Processor configuration 3.2 GHz</p>	1 pcs	350000	350000.00
3	PTZ CAMERA	PTZ Camera – 10X Optical Zoom, 60fps, Video recorder	1 NOS	95000.00	95000.00
	WIRELESS COLLAR MIC	Wireless Collar mic.	1	14000	14000.00
4	ACCESSORIES AND EXTRA WORK	Cables, accessories, electric work & installation	1 JOB	10826.00	10826.00
5	TRIPOD	Tripod- Metal, heavy duty	1 NOS	18000.00	18000.00
6	<p>UPS FOR POWER BACKUP</p> 	<p>UPS SYSTEM- Plug and play</p> <p>KVA: 2-3 KVA,</p> <p>Technology: IGBT-PWM,</p> <p>Energy Star Rating: 3 Star,</p> <p>Total Harmonic distortion: <math>\leq 5\%</math> Input Single Phase sine wave (120 to 280 V),</p> <p>Overload Time (in Minutes): ≥ 10,</p> <p>Overload of rated load (in %): ≥ 10,</p> <p>Overall Efficiency (%): $\geq 90\%$ & $< 94\%$ without inbuilt isolation transformer,</p> <p>Type of Design / Construction: Floor Standing</p>	1 pcs	55000	55000.00
7	CURTAIN		100 PCS	360	36000.00

#	CURTAIN ROD AND FITTINGS		1 JOB	25000	25000
9	PVC WALL PANELING	AREA (60X100+ 29X100)- 1958 sqft	1 JOB	210000	210000
10	FALSE CEILING	Area- (60X29)- 1740 sqft	1 JOB	235000	235000
11	LIGHT AND ELECTRIC WORK		1 JOB	35000	35000
12	FLOORING AND MATTING	AREA- (60X29)- 1740 SQFT	1 JOB	175000	175000
13	STAGE TABLE		3 PCS	39000	117000
14	STAGE CHAIR		12 PCS	8900	106800
15	AUDI CHAIR		80 PCS	9800	784000
				TOTAL	26,16,626.00


